


21'2" Mariner Express Cruiser



The flag ship of MIRRO-CRAFT's Mariner series of intermediate-sized aluminum boats. This smartly-styled express model features a cuddy cabin for head privacy, lock-up storage and sleeping accommodations. The lightness of aluminum construction in its well-designed hull permits top performance with less horsepower — a real Economizer! A good investment in family fun afloat — for cruising, fishing, water skiing, and boat camping.

19'2" Mariner Sport Fisherman



Buy this tough, all aluminum model if you are more interested in fishing than fussin. Fishermen, look this model over and you will see that it's laid out to meet your requirements. This well-designed, seaworthy hull really provides top performance with lower horsepowers, which means FUEL ECONOMY AT ALL SPEEDS. "Try It — you'll like it"

19'2" Mariner Sport Runabout



A highly maneuverable, sporty boat. Superbly constructed of tough, durable marine aluminum. Powered by a quickly responsive inboard/outdrive system. This model is also available in an outboard version. Built to take the giant waves and keep on flying. With storage space for your camping gear or sporting equipment, the Runabout's an ideal choice for the young family on the go.

19'2" Mariner Bowrider OTB or 1/0 Model 4629

Here's a handsome, all aluminum runabout that's big on dimension for comfortable, safe and seaworthy boating fun. The bowrider styling makes a lot of useful boat from stem to stern. Take your choiceoutboard or inboard/outdrive. And, expect to get more performance with less horsepower than most other boats in this size range. Durable aluminum construction assures low maintenance, low operating costs, and many years of boating pleasure.

Mariner Comparative Data

21' 2" Mariner Express Cruiser Model F-4621

305 I/O - MerCruiser 120, 140, 165 hp ■ OMC 140, 165 hp (Manual trim)

Comparative Data

Center-Line Length 21' 2" (6.90 m) Beam 96" (2.43 m) Weight 2700 Lbs. (1225 kg)
Cabin Headroom 58" (1.47 m) Cockpit Headroom with Top Up 75" (1.90 m) Height from Keel to Top of Windshield 87" (2.20 m) Height from Keel to Top of Windshield 87" (2.20 m) Hull Thickness .100" (2.56 mm)

Fog White Aluminum Hull with Cocoa Brown Accent Stripe Fog White Fiberglass Deck with Brown & Orange Accent Stripes Brown & Parchment White Interior

Seating (Camper I/O) Two Contour Front Bucket Seats with Fold-Away Side Bunks and Rear-Quarter Seats (Standard I/O) Two Fold-to-Bunk Seats

Standard Equipment — All Models
Safety-Glass Windshield ■ Vinyl Top w/Boot
■ 40-Gal. Aluminum Gas Tank (151.4 Litre)
■ Electric Gas Gauge ■ Stainless Steel Bow
Rail ■ Mechanical Steering ■ International
Lighting ■ Two 6 7" Cushioned Bunks ■
V-Berth Cushions ■ Locking Louvered
Teak Cabin Door w/Screen ■ Bilge Blower ■
Insulated Motor Box ■ Bilge Pump ■
Propeller ■ Cabin Light ■ Marine Grade
Carpet ■ Level Foam Flotation

Standard Equipment - Camper Model Only Side Curtains Complete Camper Model O.
Side Curtains Complete Camper Top
Complete Galley with Sink & Fresh Water
System Ice Chest Double Burner
Alcohol Stove Cutting Board

Custom Factory Accessories
Side Curtains Aft Curtain Complete
Camper Top Side Curtain Screens Electric Single-Trumpet Horn Electric Windshield Wiper Cockpit Courtesy Lights Handi-Head Internal Holding System Swim Platform Boarding Ladder Hatch

19' 2" Mariner Sport Fisherman Model F-4619

Outboard, Max. 150 hp

Comparative Data

Center-Line Length 19° 2" (6.491 m) ■ Beam 92" (2.286 m) ■ Transom Width 85' (2.136 m) ■ Bow Height 43" (1.093 m) ■ Overall Height 70" (2.084 m) Interior Side
Depth 27" (.68 m) Engine Shaft Length
20" (.51 m) Hull Thickness .085"
(2.15 mm) Dry Weight OTB Lbs. (.545 kg)

Fog White Hull Cocoa Brown Deck Spice Brown Interior

Back-to-Back Console Seat

Standard Equipment

Standard Equipment
Bow Storage Locker Navigational Lights Windshield Stainless Steel Bow Rail 25-Gal Aluminum Fuel Tank (95 Litre)
Electric Fuel Gauge Level Foam
Flotation Pre-Installed Top Slide Rail Electric Bilge Pump Heavy-Duty Marine
Hardware Mechanical Steering Stainless
Steel Bow & Towing Eyes Marine Grade
Textured Vinyl Flooring Console Storage
Area Stainless Steel Grab Rail Seat
Storage Area Storage Area

Custom Factory Accessories
Top Set Complete ■ Insulated Cooler/Seat

19' 2" Mariner Sport Runabout Model F-4628

Outboard, Mak 175 hp 1/O - MerCruiser 120, 140 & 165 hp 0MC 140 & 165 (Manual trim)

Comparative Data

Comparative Data
Center-Line Length 19' 2" (6.491 m) Beam 92" (2.286 m) Transom Width 85" (2.136 m) Bow Height 43" (1.093 m) Overall Height 60" (1.524 m) Interior Side Depth 27" (.68 m) Engine Shatt Length OTB 20" (.51 m) Hull Thickness 085" (2.15 min) Dry Weight OTB 2150 Lbs. (975 kg)

Bimini Blue Hull ■ White Deck ■ Sapphire Blue Interior

Two Fold-to-Bunk Seats ■ Fold-Away Rear Quarter Seats (I/O Only)

Standard Equipment

Standard Equipment
Bow Storage Area Navigational Lights Step-Thru Windshield 25-Gal. Aluminum
Fuel Tank (95 Litre) Electric Fuel Gauge Level Foam Flotation Pre-Installed Top
Slide Rail Electric Bilge Pump HeavyDuty Marine Hardware Mechanical
Steering Stainless Steel Bow & Towing
Eyes Marine Grade Carpet Glove Box
Stee Pads Bilge Blower (I/O Only) Step Pads Bilge Blower (I/O Only) Vinyl Top with Boot

Custom Factory Accessories

Side Curtains Aft Curtain

19' 2" Mariner Bowrider Model F-4629

Outboard, Max. 150 hp I/O – OMC 140, 165 hp (Manual trim) MerCruiser 120, 140, 165 hp

Comparative Data

Center-Line Length 19',2" (6.491 m) Beam 92" (2.286 m) Transom Width 85" (2.136 m) Bow Height 43" (1.093 m) Overall Height 64" (1.63 m) Interior Side Depth 27" (68 m) Engine Shatt OTB 20" (.51 m) Hull Thickness 085" (2.15 mm) Dry Weight OTB 1250 Lbs. (567 kg), I/O 2250 Lbs. (1021 kg)

Limelight Hull Loden Green Deck Sage Green & Olive Interior

Two Fold-to-Bunk Seats & Foredeck Cushions

Standard Equipment

Bow Storage Area Navigational Lights Walk-Thru Windshield Stainless Steel Bow Rail ■ 25 Gal. Aluminum Fuel Tank (95 Litre) ■ Electric Fuel Gauge ■ Level Foam Flotation ■ Pre-Installed Top Slide Rail ■ Electric Bilge Pump ■ Heavy-Duty Marine Hardware Mechanical Steering Stainless Steel Bow & Towing Eyes Marine Grade Carpet Glove Box Step Pads Bilge Blower Vinyl Top with Boot

Custom Factory Accessories

Side Curtains ■ Aft Curtain ■ Tonneau Cover

Features



















- Mariner Express Cruiser cockpit interior aft, camper version
- 2. Mariner Bowrider walk-thru windshield
- Mariner Express Cruiser cabin Interior with optional Handi-Head
- Mariner Sports Runabout roomy cockpit and fold-away rearquarter seats
- Mariner Camper Express Cruiser complete galley
- Mariner Sports Runabout fold-to-bunk seats and side storage.
- Mariner Sport Fisherman spacious underseat storage
- 8. Mariner Camper Express Cruiser fold-away camper side seats and rear-quarter seats
- 9. Mariner Sport Fisherman with optional insulated cooler/seat



MIRRO Marine Division Sales Office: Oconto, Wisconsin 54153 Manufacturing Facilities: Manitowoc, Wisconsin 54220

Aluminum Boats

- Toppers
- ·Ski 'N' Troll
- · Lake Fisherman
- · Deep Fisherman
- Resort Boots

Easy to Trailer, Cartop For: Fishing • Cruising • Camping • Skiling











16' 3" Ski 'N' Troll F-3686-58



16' 3" Ski 'N' Troll F-3686-75



14' Ski 'N' Troll F-3624-58



16' Deep Fisherman F-3696



14' Deep Fisherman F-3614

The Finest Boats Available

MIRRO-Craft offers your family the finest sporting boats made. Fro the Ski 'N' Troll to the Economy Topper, they're rugged, easy-to-hand for the family on the go! Versatile for fishing, hunting, skiing - all kinds family fun. And MIRRO-Craft boats are easy to trailer, cartop and stor Get the family fun boat you've always wanted... MIRRO-Craft.

Standard Equipment
Windshield Navigation Lights Mechanical Steering Assembly Viny
Upholstered Seats Bow Eye Deck Cleat Chocks Ski Tow Rings Sipho
Drain Vinyl-Covered Non-Skid Flooring

Color F-3686-75 Beige Deck and Hull ■Spice Brown Seat Upholstery ■Woo Grain Side Panels and Dash Orange and Brown Racing Stripes

F-3686-58 Limelight Deck and Hull #Green and White Upholstered Seats Matching Green Vinyl Floor

Optional Equipment F-3670 – White Top, Side and Stern Curtains

Comparative Data

Models	F-3686-58 and	
	F-3686-75	
Center-Line Length	16' 3"	4.956 m
Beam	72"	1.829 m
Bow Depth	34"	.863 m
Engine Shaft	20"	.508 m
BIA Engine Size	80 hp	80 hp
BIA Capacity	1480 Lbs.	671.92 kg
App Weight	470 Lbs.	213 38 kg
Hull Thickness	.064	1.625 mr

14' Ski 'N' Troll

Standard Equipment

Windshield Navigation Lights Complete Steering Assembly Viny Upholstered Back-to-Back Seats Vinyi-Covered Non-Skid Flooring Dec Cleat Bow Eye Ski Tow Rings Drain Plug

Color Limelight Deck and Hull ■ Green Seats and Floor

Comparative Data		
Model	F-3624-58	
Center-Line Length	14"	4.270 m
Beam	63"	1.600 m
Bow Depth	30"	.762 m
Engine Shaft	20"	.508 m
BIA Engine Size	45 hp	45 hp
BIA Capacity	960 Lbs.	435.84 kg
App Weight	308 Lbs	139.83 kg
Hull Thickness	.064	1.625 mr

16' Deep Fisherman

Standard Equipment

Four Vinyl-Coated Aluminum Unit Seats Positive Foam Flotation Skir Proof Flecked-Paint Interior Two Sets of Oar Sockets Transom Handle Bow Eye Drain Plug

F-3696	
16'	4.880 m
63"	1.600 m
30"	762 m
20"	508 m
40 hp	40 hp
1150 Lbs.	522.10 kg
242 Lbs.	109.8
.058	1.47
.064	1 625 mi
	16' 63" 30" 20" 40 hp 1150 Lbs. 242 Lbs.

MIRRO-Craft boats have unit seat construction with positive foam to to give your family a stronger, safer boat! STANDARD EQUIPMEN ALL MODELS.



Lake Fisherman F-3616

14' Deep Fisherman

tandard Equipment

our Vinyl-Coated Aluminum Unit Seats ■ Positive Foam Flotation ■ Skid-roof Flecked-Paint Interior ■ Oar Sockets ■ Transom Handles ■ Bow Eye ■ Drain Plug
Color Turquoise Hull
comparative Data

1odel	F-3614	
enter-Line Length	14"	4.270 m
Jeam	63"	1.600 m
Bow Depth	30"	.762 m
Engine Shaft	15"	381 m
TA Engine Size	35 hp	35 hp
IA Capacity	950 Lbs	431.30 kg
pp. Weight	202 Lbs. 1	91.71 kg
Hull Thickness - Sides	.058	1.473 mm
- Bottom	.064	1.625 mm

6' 4" Lake Fisherman

tandard Equipment

hree Aluminum Unit Seats Positive Foam Flotation Skid-Proof Flecked-Paint Interior Oar Sockets Transom Handles Bow Eye Drain Plug Aluminum Bow Deck
Solor Turquoise Hull and Deck

omparative Data		
/lodel	F-3616	
Jenter-Line Length	16' 4"	4.981 m
Beam	72"	1.829 m
Bow Depth	34"	.863 m
ngine Shaft	20"	.508 m
3IA Engine Size	50 hp	50 hp
3IA Capacity	1503 Lbs.	682.36 kg
App. Weight	350 Lbs.	158.90 kg
Hull Thickness	.064	1.625 mm

Steering Console fits all MIRRO-Craft fishing boats and doubles as a iomfortable backrest for middle seat. (Optional.)

12' Economy Topper

Standard Equipment

Standard Equipment

Three Painted Aluminum Seats with Positive Foam Floiation ■ Skid-Proof

Flecked-Painted Interior ■ Reinforced Transom with Center Knee Support ■

3ow Eye ■ Transom Handles and Oar Sockets

Color Duck Brown or White

Comparative Data

Model	F-3652 and	
	F-3652-40	
Center-Line Length	12'	3.658 m
3eam	52"	1.320 m
Bow Depth	23"	.584 m
Engine Shaft	15"	381 m
BIA Engine Size	10 hp	10 hp
3IA Capacity	500 Lbs	226.80 kg
App Weight	115 Lbs.	52.21 kg
Hull Thickness	.051	1.295 mm

13' 9" Tri-Hull Fiberglass Bass Boat 13' 9" Tri-Hull Fiberglass Fisherman

Standard Equipment
Aluminum Transom Pad ■ Carrying Handles ■ Oar Sockets with Nylon
Bushings ■ Foam Flotation ■ Aluminum Gunwales ■ Drain Plug ■ Bow Eye ■
Three Seats and Bow Accessory Mounting Pad ■ Bass boat features 2 swivel seats and gunwale storage Solor Turquoise

Comparative Data

191	F-3654 and	
Va	F-3654-58	
Line Length	13'9"	4.193 m
	58"	1.473 m
epth	24"	610 m
Shaft Shaft	15"	381 m
gine Size	20 hp	20 hp
pacity	700 Lbs.	317.51 kg
light	260 Lbs.	66.04 kg



12' Economy Topper F-3652



12' Economy Topper F-3652-40



13' 9" Tri-Hull Fiberglass Bass Boat F-3654-58



13' 9" Tri-Hull Fiberglass Fisherman F-3654



14' Resort Boat Model F-3604



14 Topper Model F-3634



12' Topper Model F-3632



12' Resort Boat Model F-3602

Prices and comparative data subject to change without notice.

14' Resort Boat

Standard Equipment

Four Vinyl-Coated Seats Positive Foam Flotation Skid-Proof Flecker Paint Interior Aluminum Transom Oar Sockets Transom Handles Bow Eye ■ Drain Plug

Color Turquoise Hull

Comparative Data Model Center-Line Length Beam Bow Depth Engine Shaft BIA Engine Size BIA Capacity App Weight Hull Thickness — Sides — Bottom	F-3604 14' 57" 25" 15" 25 hp 845 Lbs 178 Lbs .051 .060	4 270 m 1,447 n 635 m 381 m 25 hr 983 63 kc 80.81 kc 1,295 m 1,524 m
---	---	--

14' Topper

Standard Equipment .

Three Vinyl-Coated Aluminum Unit Seats ■ Positive Foam Flotation ■ Ski Proof Flecked-Paint Interior ■ Reinforced Transom with Center Knee Suppo ■ Bow Eye ■ Transom Handles ■ Drain Plug and Oar Sockets.

Color Turquoise Hull

Model Genter-Line Length Beam Bow Depth Engine Shaft BIA Engine Size BIA Capacity App. Weight Hull Thickness	F-3634 14 52" 24" 15" 18 hp 675 Lbs. 140 Lbs.	4 270 m 1 320 m .610 m .381 m 18 nj 306 45 kg 63.56 kg 1 295 m
--	--	---

12' Topper

Standard Equipment

Three Vinyl-Coated Aluminum Unit Seats Positive Foam Flotation Skid Proof Flecked-Paint Interior Reinforced Transom with Center Knee Suppor Bow Eye Transom Eye Transom Handles Drain Plug and Oar Socke

Color Turquoise Hull

20
-
1
1/
ď.
_

12' Resort Boat

Standard Equipment
Three Vinyl-Coated Seats Positive Foam Flotation Skid-Proof Flecked-Paint Interior Aluminum Transom Oar Sockets Transom Handles Bow

Color Turquoise Hull

Comparative Data Model Center-Line Length Beam Bow Depth Engine Shaft BIA Engine Size BIA Capacity App. Weight Hull Thickness	F-3602 12" 57" 25" 15" 15 hp 690 Lbs 148 Lbs	3.658 m 1.447 m 635 m 381 m 15 hp 313 26 kg 67.19 kg 1.295 mr
---	---	--

MIRRO-Craft is QUALITY

Quality is a vital consideration in the production of all MIRRO-Craft boats. That's why a special marine alloy, chosen for its excellent strength-to-weigh ratio, high impact resistance and exceptional corrosion resistance is used you can be assured that your new MIRRO-Craft meets the highest industry, and family standards for durability, dependability, economy, safety and convenience.

B.I.A. CERTIFICATION

All MIRRO-Craft boats are built in full compliance with the Boating Industry Association's Engineering Recommendations and applicable Federal regulations. MIRRO-Craft boats are inspected and certified by the B.I.A.



MIRRO Marine Division Sales Office: Oconto, Wisconsin 54153 Manufacturing Facilities: Manitowoc, Wisconsin 54220

